




					30																												Г	T
					29	•													-														\vdash	+
		- 0			28		H																											+
					27	Version or index				-																		\vdash						+
					26	r in																											\vdash	+
Date:					25	on c																						\vdash					\vdash	\dagger
ם	_			-	24 2	ersic																											\vdash	+
				-	23 2	>																												+
	-	-		+	22 2	_																						\vdash					\vdash	+
	_			+	21 2															_														+
	_	-		-	20 2	Schaltzustand	-				-																						\vdash	+
		-		-	19 2	zust			V=== (=								-								_		_	-						+
Tester:	_		-	-	18 1	altz													_														-	+
- F				-		Sch		1											_														-	+
					3 17		_																		_								-	+
		_			5 16	ZW	-																										-	+
					1 15	d br																												
					3 14	star	-																											+
					2 13	ons																												+
No.					12	Versionsstand bzW.																												1
Serial No.					11	>																												4
Ś				_	10	>																												1
					60	bzv																												1
					08	and																												1
					07	SSt																												1
A					90	nug																												1
È					05	ühr																												1
GIT					94	Ausführungsstand bzw.																												
<u> </u>	8812	2	1017		03	1	A	A	A	A		OB	A	2	A	A	A	A	A	02	A													
XP	879	5	1009		02	-	A	A	A	•		0B	A	A	A	A	A	A	A	02	A													
×	\geq	\leq	1001		01		~	-	-	7	OA		-	١	-	-	-	-	-	0.1	-													
E	A		A		sep.	ES					VAO	VAO								X												×		
	Änderungs- Mitteilungsnummer ▶	e	Serial No.	1		7					9									MS	2													T
8	- un	qm	eria		and		CTL)	(DP)			RON	RON	ADP)		CHG)	S	(X	HG)	(DP)	SRAI	PC)													1
MOBIL	Sbu	Z	S	_	gnisst ict Sta	tion		J. N.	()	5	(EP	(EP		VR)		Ź	P_B	TC	N	DIAC	AP													ı
Σ	erur	nge		_	Erzeugnisstand Product Status	Bezeichnung Description	(MC	(MS	(DP	(CP	1/38	/138	(OF	(PV	(CA	(K	(CA	(BA	00)	NG	(AD													
	Änderungs- Mitteilungsr	Change Number	ap	from	-	Be	D102 (MOT	D907 (MSR_ADP)	D909 (DPY)	D916 (CPU)	D916/J38 (EPROM)	D916/J38 (EPROM)	D917 (OPT	D927 (PWR)	D952 (CAP	D962 (KV_INV)	D972 (CAP_BK)	D982 (BAT_CHG)	D991 (CON_ADP)	WIRING DIAGRAMS	D919 (ADAP_PC)													
••	7 2	01	10	-															_		_													t
	H.			1	ner	_	747	747	47	747	74)	747	747	747	747	747	747	747	747	.02.0	747													
0	SЩ		L		num	equir	XOZ	XOZ	X07	XO7	0X	XO7	XO7	X07	XO7	X07	0X 9	0X 1	X07	44.30	0X (١
ere	INST ISI		CT		Sach-/Typennummer	Part/Type Number	070 24 040 X074J	056 08 240 X074J	075 66 842 X074J	075 66 735 X074J	070 24 289 X074J	070 24 313 X074J	075 66 792 X074J	075 66 743 X074J	070 24 107 X074J	075 66 610 X074J	075 66 636 X074J	083 90 234 X074J	075 66 768 X074J	SPR8-230.844.30.02.02	075 66 859 X074J	F												1
eliv	N I		35		ch-/T	rt/Ty	0 24	80 9	5 66	2 66	0 24	0 24	5 66	5 66	0 24	5 66	5 66	3 90	5 66	R8-2	5 66													1
ctd	ERZEUGNIS- STANDLISTE		PRODUCT STATUS LIST	-			07	05	07	07	07	07	07	07	07	07	07	80	07	S	07	_					_				_			+
Product delivered	ш		T W		lfd. Nr.	line No.	-	2	3	4	5	9	7	8	6	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	i
ן די	11					=							Date Name								0	3								=	and an			
	10	1				10					2004										0	_	8	3812	2	C.A	rima	das	26	6-04	-0			
	09									Г	rawe	d	Z6/04/05 J.A. Valencia									0	1	8795			C.A	rima	das					
	80	14								A		Modific. No.				I	Name	9	Date															
	07	-						-		V	erifie	d	20	109	1/0.	5 -	Carl	9	179	T	4	H		I	VIC.	BI	LE	П	X	PI	DIC	SIT	Α	L
	- 12.7												_ 0							aua	3			Lyw.		I AGAING THE STREET		144	Carl Sec. Ca		17	9	She	et
	0.5								3117 (-		TV		AI	-					0	10	18	1	17	VO	71				
	05 04													3	IE	IV		N	3					U	10	10) +	41	ΛU	1/4	J		1/1	1






































D907 0 56 08 240 X074J ADAPTER

D907V1.PCB 10/03 X074J-D907-1()-1


٧25 SIEMENS 875 66 842 x874J D989 ٧24 ٧23 ٧22 **Æ** --5-CI ZI ZI X12 Ξ V28 51 5 71 416 ≣ BAR CODE S IE ME NS FG∕MED
At Betriebsgelemis anvertraut. Alle Rechte vorbehalten
Propietary data, company confidential. All rights reserved
confie a little de secret d'entepries. Tous drois reserved 715 <u></u> 5 5 712 Scale: 4/5 D909V1.PCB (9/04) 075 66 842 X074J > ۸2 X074J-D909-1()-1 2 3 5 1 4

_

X ESIR THE STATE OF RIS9 ×24 RISS]]] X20 X I ZZXHR4 **SIEMENS** 875 66 735 ×874J CIBI SIEMENS FG/MED Alle Rechte vorbehalten Als Betriebsgeheimnis anvertraut. Alle Rechte vorbehalten Propietary data, company confidential. All rights reserved Confiado como secret d'enteprise. Tous drois reserve <u></u> AST|1|2|3|4|5|6|7 CODE BAR Scale: 4/5 D916V1.PCB 11/03 D916V1 075 66 735 X074J CPU MOBILETT XP XDAP D916V1 XPAD 2 X074J-D916-1(S)-1 1 3

_

-



D917075 66 792 X074J
OPTO-ADAPTER

1

D917 VPØ1.PCB 1/84

1

2

3

4

ă X D919V1 D919V1.SCM (9/04)

D919 075 66 859 X074J DIGITAL ADAPTER

X074J-D919-1(S)-1

00

ம

ω

XIZ Z [EZ3 2 923 0 (XX Lvez **SIEMENS**8 75 66,243 ×874J ZSA AST[1|2|3|4|5|6|7|8|9] ≣ BAR CODE <u>\$</u> Ζ٨ Ϋ́ Ž 6 NZ O \ œ

×13

FE ZBAT

X

H48 H58 x

0

0

0

C45

РМ14

D927V1

 $\overline{\mathbb{Z}}$

X

×

EEA

9^[

SIA[

+1₽[€√[**≯**∧[

≯Z出[

]۸و пн[E18[

BIR[

 \equiv

o S

V39 I

SIA BEV I

9+H

* * *

< \

 $\overset{\times}{\vdash}$


 \setminus

ω

ம


4


abla




PLANO DE SERIGRAFIA

18 20 401 X0691 D950








SIEMENS FG/MED
Als Betriebegeheimis anvertraut. Alle Rechte vorbehalten
Propietery data, company confidential. All rights reserved
Confidential to secret d'entreprise. Tous drois reserved
Confidence come secret to enterprise. Tous drois reservados

SALE: 7/10 382VI.PCB 11/03



D9910 75 66 768 X074J
DAP ADAPTER

D991V1.PCB 11/83

X074J-D991-1()-1